



Ali

All-in-One Mobile Payment Device

Designed to meet your full range of payment and point-of-sale needs

The Ali all-in-one mobile payment device allows you to serve your customers anywhere, anytime and with any type of payment. It is easy to hold and to hand over to the customers to dip, swipe, tap, sign or enter a PIN. Ali provides flexibility and simplicity in a single device.



Android 11



4G + 3G + 2G, , WIFI:IEEE 802.11 a/b/g/n/ac (2.4G/5G), Bluetooth 5.0"



MSR + IC + NFC + QR



"8MP AF (Back, 13MP AF Optional) 5MP FF (Front, 2MP FF Optional)"



Retail



Banking



Hospitality

SPECIFICATIONS

Operating System	Android 11	Pogo pin	Yes (N/A,Optional)
Processor	Octa-core CPU, 4x A53@2.0GHz+ 4x A53@1.5GHz	Payment	Support IC/NFC/Magstripe Card
Memory	3GB RAM+32GB ROM LPDDR4x 4GB RAM+64GB ROM (Optional) Micro SD (Up to 256GB)	Accessory	USB Cable (Default) 5V2A Adapter/Cradle/Hand Strap (Optional)
Card Slot	1x nano SIM + 1x mini SIM + 1x mini SAM	Certification	CE/FCC/PCI-PTS6.x (SRED) /EMVCo L1/ EMVCo L2/EMVCo L1 CTLSS/Paypass (MC) /Paywave (Visa)/Expresspay (AMEX)/DPAS/ UN38.3/TQM/UPI
Display	6.517" HD+ IPS, 720 x 1600, Capacitive multi-touch screen		
Camera	8MP AF (Back, 13MP AF Optional) 5MP FF (Front, 2MP FF Optional)		
Audio	Speaker		
Scanner	E3 lite (E3/Zebra 4710/4770 Optional)		
Printer	2 inch 58mm Thermal Printer Paper roll: Ø 40mm		
Communication	Network: 4G/3G/2G WIFI:IEEE 802.11 a/b/g/n/ac (2.4G/5G) Bluetooth 5.0		
Physical Properties	Dimension: 192*79*49mm~18.5mm Weight: 350g (Battery included)		
Environment	Operating Temperature: -10°C ~ +45°C Storage Temperature: -20°C ~ +70°C Humidity: 10%~90% (Non-condensing)		
Battery	2500mAh/7.6V		
Navigation	GPS/A-GPS/Beidou/GLONASS		
Side Key	1x Power Button, 1x Function Button (Customized)		



UIC USA

2901 Bayview Drive, Fremont, CA 94538, USA
Tel: 510-438-6799 Fax: 510-438-6790
info@uicusa.com

UIC Taiwan

1F, No.1, Ln 15, Ziqiang St., Tucheng Dist., New Taipei City 236, Taiwan.
Tel: 886-2-2268-7075 Fax: 886-2-2269-5686
salesupport@uniform.com.tw